

# RURIS Genius 1340PH



|                               |    |
|-------------------------------|----|
| 1. INTRODUCERE                | 2  |
| 2. INSTRUCȚIUNI DE SIGURANȚĂ  | 2  |
| 3. DATE TEHNICE               | 3  |
| 4. GHIDUL DE MONTAJ           | 4  |
| 7. DECLARAȚII DE CONFORMITATE | 27 |

## 1. INTRODUCERE

Stimate client!

Îți mulțumim pentru decizia de a cumpăra un produs RURIS și pentru încrederea acordată companiei noastre! RURIS este pe piață din anul 1993 și în tot acest timp a devenit un brand puternic, care și-a construit reputația prin respectarea promisiunilor, dar și prin investițiile continue menite să vină în ajutorul clienților cu soluții fiabile, eficiente și de calitate.

Suntem convinși că veți aprecia produsul nostru și vă veți bucura de performanțele sale timp îndelungat. RURIS nu oferă clienților săi doar utilaje, ci soluții complete. Un element important în relația cu clientul este consilierea atât înainte de vânzare, cât și post vânzare, clienții RURIS având la dispoziție o întreagă rețea de magazine și puncte service partenere.

Pentru a vă bucura de produsul cumpărat, vă rugăm să parcurgeți cu atenție manualul de utilizare. Prin respectarea instrucțiunilor, o să aveți garanția unei utilizări îndelungate.

Compania RURIS lucrează continuu pentru dezvoltarea produselor sale și de aceea își rezervă dreptul de a modifica printre altele forma, înfățișarea și performanțele acestora, fără a avea obligația de a comunica acest lucru în prealabil.

Vă mulțumim încă o dată că ați ales produsele RURIS!

Informații și suport clienți:

Telefon: 0351.820.105

e-mail: [info@ruris.ro](mailto:info@ruris.ro)

## 2. INSTRUCȚIUNI DE SIGURANȚĂ

|                                                                                  |                                  |                                                                                   |                             |
|----------------------------------------------------------------------------------|----------------------------------|-----------------------------------------------------------------------------------|-----------------------------|
|  | Purtați echipament de protecție. |  | Atenție la lamele ascuțite. |
|  | Citiți manualul de utilizare.    |                                                                                   |                             |

### 2.1. AVERTIZĂRI

#### Avertizare privind montajul:

„Asigurați-vă că structura este montată conform instrucțiunilor.

„Este recomandat ca montajul să fie realizat de către două sau mai multe persoane pentru a preveni accidentele.”

#### Avertizare privind siguranța la manipulare:

„Utilizați echipament de protecție (mănuși, încălțăminte adecvată) în timpul montajului.”

„Evitați contactul cu margini sau colțuri ascuțite în timpul manipulării pieselor.”

#### Avertizare privind riscurile de răsturnare:

„Asigurați-vă că structura este fixată corect pentru a preveni răsturnarea în caz de vânt puternic sau condiții meteorologice nefavorabile.”

„Nu lăsați copii să se joace în apropierea sau pe lângă căsuța de depozitare.”

#### Avertizare privind utilizarea în condiții extreme:

„Evitați utilizarea căsuței de depozitare în condiții extreme de temperatură sau umiditate.”

„Nu depozitați obiecte inflamabile, toxice sau periculoase în căsuță.”

#### Avertizare privind întreținerea:

„Verificați periodic integritatea structurii și asigurați-vă că toate elementele sunt în stare bună de funcționare.”

#### Avertizare privind asigurarea unui loc stabil:

„Montarea căsuței pe un teren instabil sau în pantă poate duce la instabilitate.”


„Asigurați-vă că fundul căsuței este bine fixat pentru a preveni alunecarea sau mișcarea.”

Aceste avertizări sunt esențiale pentru a proteja utilizatorul de riscuri și pentru a asigura o utilizare corectă și sigură a produsului.

### 3. DATE TEHNICE

|                                             |                                                              |
|---------------------------------------------|--------------------------------------------------------------|
| <b>Locatie de utilizare</b>                 | Exterior                                                     |
| <b>Culoare</b>                              | Gri antracit                                                 |
| <b>Dimensiune exterioara LxIxh (cm)</b>     | 134x104x204                                                  |
| <b>Dimensiune interioara (cm)</b>           | 120x92                                                       |
| <b>Suprafață de montare (m<sup>2</sup>)</b> | 1.39                                                         |
| <b>Material perete</b>                      | Plastic (PP) dublu strat                                     |
| <b>Grosime perete (mm)</b>                  | 12                                                           |
| <b>Material cadru</b>                       | Plastic (PP), armat cu structura din otel galvanizat la cald |
| <b>Grosime cadru (mm)</b>                   | 1.5                                                          |
| <b>Tip acoperis</b>                         | Inclinat, in 2 ape                                           |
| <b>Rezistenta UV</b>                        | Da                                                           |
| <b>Rezistenta ploaie</b>                    | Da                                                           |
| <b>Tip usa</b>                              | Usa simpla cu zavor                                          |
| <b>Detalii usa</b>                          | Cu rampa ce permite accesul usor la interior                 |
| <b>Deschidere usa (cm)</b>                  | 73x172                                                       |
| <b>Numar de ferestre</b>                    | 1                                                            |
| <b>Material fereastră</b>                   | Policarbonat (PC)                                            |
| <b>Pardoseala</b>                           | Nu                                                           |
| <b>Ventilatie</b>                           | 2 Orificii de aerisire                                       |
| <b>Sarcina pe acoperiș kg/m2</b>            | 70                                                           |
| <b>Greutate (kg)</b>                        | 32.5                                                         |
| <b>Dimensiune ambalaj (LxIxH) cm</b>        | 182x117.5x12.5                                               |

## 4. GHIDUL DE MONTAJ









|  |                                                                                     |             |    |     |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|----|-----|
| VA-A1                                                                             |    | 1185mm      | x1 | 1/1 |
| VA-A2                                                                             |                                                                                     | 900mm       | x2 | 1/1 |
| VA-A3R                                                                            |                                                                                     | 217mm       | x1 | 1/1 |
| VA-A3L                                                                            |                                                                                     | 217mm       | x1 | 1/1 |
| VA-A4                                                                             |    | 830mm       | x1 | 1/1 |
| VA-30                                                                             |    |             | x4 | 1/1 |
| VA-31                                                                             |    |             | x4 | 1/1 |
|                                                                                   |                                                                                     |             |    |     |
|  |                                                                                     |             |    |     |
| PA1                                                                               |    | 876X1740mm  | x1 | 1/1 |
| PA1S                                                                              |    | 876X1740mm  | x1 | 1/1 |
| PA2D                                                                              |    | 1160X448mm  | x1 | 1/1 |
| PA3D                                                                              |    | 1160X896mm  | x1 | 1/1 |
| PA5                                                                               |    | 205X1548mm  | x2 | 1/1 |
| PA4                                                                               |    | 1160X1100mm | x1 | 1/1 |
| VA-A8                                                                             |    | 1155mm      | x1 | 1/1 |
| VA-A9                                                                             |                                                                                     | 200mm       | x2 | 1/1 |
| VA-A11                                                                            |    | 1155mm      | x1 | 1/1 |
| VA-A12                                                                            |                                                                                     | 200mm       | x2 | 1/1 |
| VA-A7R                                                                            |    | 1760mm      | x2 | 1/1 |
| VA-A7L                                                                            |                                                                                     | 1760mm      | x2 | 1/1 |
| PPX12                                                                             |   |             | x1 | 1/1 |
| W2S                                                                               |  |             | x1 | 1/1 |
| PPX13                                                                             |  |             | x1 | 1/1 |
| VA-32R                                                                            |  |             | x2 | 1/1 |
| VA-32L                                                                            |  |             | x2 | 1/1 |
| PPX14                                                                             |  |             | x2 | 1/1 |
| PPX8                                                                              |  |             | x2 | 1/1 |
| PPX9                                                                              |  |             | x2 | 1/1 |

|                                                                                   |                                                                                     |            |      |     |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------|------|-----|
|  |                                                                                     |            |      |     |
| PA6-A                                                                             |    | 985X1433mm | x1   | 1/1 |
| VA-A21                                                                            |    | 600mm      | x4   | 1/1 |
| VA-A22                                                                            |    | 825mm      | x2   | 1/1 |
| PPX3                                                                              |    |            | x4   | 1/1 |
| PPX4                                                                              |    |            | x2   | 1/1 |
| VA-A24                                                                            |    | 1020mm     | x1   | 1/1 |
|  |                                                                                     |            |      |     |
| PA7S                                                                              |    | 735X1710   | x1   | 1/1 |
| VA-A27                                                                            |    | 1712       | x2   | 1/1 |
| VA-A28                                                                            |                                                                                     | 735        | x2   | 1/1 |
| VA-A25R                                                                           |    | 1730       | x1   | 1/1 |
| VA-A25L                                                                           |                                                                                     | 1730       | x1   | 1/1 |
| VA-A26                                                                            |                                                                                     | 748        | x1   | 1/1 |
|                                                                                   |                                                                                     |            |      |     |
| VA-41                                                                             |    |            | x2   | 1/1 |
| VA-40                                                                             |    |            | x1   | 1/1 |
| CN-A33                                                                            |    |            | x2   | 1/1 |
| PA01                                                                              |    |            | x3   | 1/1 |
| VA-A44                                                                            |    | ST4.2x13mm | x115 | 1/1 |
| VA-A45                                                                            |    | ST4.2x19mm | x87  | 1/1 |
| VA-A46                                                                            |   | ST4.2x13mm | x6   | 1/1 |
| VA-A47                                                                            |  | ST4.2x19mm | x4   | 1/1 |
| VA-A48                                                                            |  | ST6.0x40mm | x5   | 1/1 |
| VA-51                                                                             |  |            | x1   | 1/1 |
|                                                                                   |                                                                                     |            |      |     |




|          |                                                                                                           |                                                                                                          |                                                                                                           |                                                                                                           |                                                                                                          |                                                                                                 |                                                                                                           |  |
|----------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--|
| <b>1</b> | <br>VA-A1 [x1]<br>1185mm | <br>VA-A2 [x2]<br>900mm | <br>VA-A3L [x1]<br>217mm | <br>VA-A3R [x1]<br>217mm | <br>VA-A4 [x1]<br>830mm | <br>VA-30 [x4] | <br>VA-A44 [x20]<br>13mm |  |
|----------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--|





**a****b**



2










VA-A48 [x5]














8




VA-31 [x4]

VA-A44 [x8]  
13mm

9






VA-A44 [x4]  
13mm














11




PA3D [x1]  
1160x895mmVA-A45 [x4]  
15mm







CN-A33













|    |                                                                                                             |                                                                                                             |                                                                                                          |  |
|----|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--|
| 14 | <br>VA-A25L [x1]<br>1730mm | <br>VA-A25R [x1]<br>1730mm | <br>VA-A44 [x2]<br>13mm |  |
|----|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--|

















20






CN-A33






21










22





|    |                                                                                                 |                                                                                                 |                                                                                                |                                                                                                          |                                                                                                          |                                                                                             |
|----|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 24 | <br>VA-41 [x2] | <br>VA-40 [x1] | <br>PA01 [x3] | <br>VA-A44 [x2]<br>13mm | <br>VA-A45 [x3]<br>19mm | <br>Ø2.5mm |
|----|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|






25










VA-32L (x2)



VA-32R (x2)

VA-A44 (x20)  
13mm



## 7. DECLARAȚII DE CONFORMITATE

## DECLARATIA DE CONFORMITATE CE



**Produsator:** SC RURIS IMPEX SRL

Bvd. Decebal, nr. 111, Cladire Administrativa, Craiova, Dolj, Romania

Tel. 0351 464 632, www.ruris.ro, info@ruris.ro

Reprezentant autorizat: ing. Stroe Marius Catalin – Director General

Persoana autorizata pentru dosarul tehnic: ing. Alexandru Radoi- Director Proiectare Producție

**Descrierea produsului:** Căsuța de grădină este o construcție compactă, ideală pentru depozitare sau relaxare. Realizată din PVC, se integrează ușor în orice decor exterior. Disponibilă în diverse dimensiuni, oferă funcționalitate și estetică, protejând uneltele sau servind ca spațiu suplimentar în grădină.

| Produsul          | Model               | Nr de serie             | Dimensiune exteriora LxIxh (cm) | Material Perete          | Material cadru                                               |
|-------------------|---------------------|-------------------------|---------------------------------|--------------------------|--------------------------------------------------------------|
| Casuta de gradina | RURIS Genius 2300MH | AACT00100001 GNS2300MHA | 134x104x204                     | Oțel galvanizat la cald  | Plastic (PP), armat cu structura din otel galvanizat la cald |
| Casuta gradina    | RURIS Genius 2770MH | AACT00100001 GNS2770MHA | 277x259x203                     | Oțel galvanizat          | Oțel zincat galvanizat                                       |
| Casuta gradina    | Ruris 1340PH        | AACT00100001 GNS1340PHA | 134x104x204                     | Plastic (PP) dublu strat | Plastic(PP), armat cu structura din otel galvanizat la cald  |

\* unde AA reprezinta ultimele doua cifre ale anului de fabricatie, caracterele 5 si 7 nr de lot, caracterele 7-12 numarul de produs)

Noi, SC RURIS IMPEX SRL Craiova, producator, in conformitate cu H.G. 1029/2008 - privind conditiile introducerii pe piata a masinilor, **Regulamentul (CE) nr. 1907/2006** al Parlamentului European și al Consiliului din 18 decembrie 2006 privind înregistrarea, evaluarea, autorizarea și restricționarea substanțelor chimice (REACH), de înființare a Agenției Europene pentru Produse Chimice, de modificare a Directivei 1999/45/CE și de abrogare a Regulamentului (CEE) nr. 793/93 al Consiliului și a Regulamentului (CE) nr. 1488/94 al Comisiei, precum și a Directivei 76/769/CEE a Consiliului și a Directivelor 91/155/CEE, 93/67/CEE, 93/105/CE și 2000/21/CE, **REGULAMENTUL (UE) NR. 305/2011** din 9 martie 2011 de stabilire a unor condiții armonizate pentru comercializarea produselor pentru construcții și de abrogare a Directivei 89/106/CEE a Consiliului, am efectuat atestarea conformității produsului cu standardele specificate și declarăm ca este conform cu principalele cerințe de siguranță și securitate, nu pune în pericol viața, sănătatea, securitatea muncii și nu are impact negativ asupra mediului.

Subsemnatul Stroe Catalin, reprezentantul producatorului, declar pe proprie raspundere ca produsul este in conformitate cu urmatoarele standarde si directive europene:

**EN 1090-1:2009+A1:2012-** Execuția structurilor de oțel și a structurilor din aluminiu - Partea 1: Cerințe pentru evaluarea conformității componentelor structurale

**Regulamentul (CE) nr. 1907/2006** al Parlamentului European și al Consiliului din 18 decembrie 2006 privind înregistrarea, evaluarea, autorizarea și restricționarea substanțelor chimice (REACH)

**REGULAMENTUL (UE) NR. 305/2011** din 9 martie 2011 de stabilire a unor condiții armonizate pentru comercializarea produselor pentru construcții

Alte Standarde sau specificatii utilizate:

- **SR EN ISO 9001** - Sistemul de Management al Calitatii
- **SR EN ISO 14001** - Sistemul de Management al Mediului
- **SR ISO 45001:2018** - Sistemul de Management al Sanatatii si Securitatii Ocupationale.

Marca si numele producătorului: Z.C.T Co. Ltd.

**Nota: documentatia tehnica este detinuta de producator.**

Precizare: Prezenta declaratie este conforma cu originalul.

Termen de valabilitate: 10 ani de la data aprobarii.

Locul si data emiterii: **Craiova, 10.01.2025**

Anul aplicarii marcatului CE: **2025**

Nr. inreg: **16/10.01.2025**

**Persoana autorizata si semnatura:**

Ing. Stroe Marius Catalin  
Director General al  
SC RURIS IMPEX SRL

The image shows a handwritten signature in blue ink, which appears to be 'Stroe', written over a circular official stamp. The stamp is from the Romanian Republic (ROMANIA) and contains the text 'ROMANIA COMERCIO', 'RO 5045432', 'RURIS IMPEX S.R.L.', and 'J483158/1993'.

# RURIS Genius 1340PH



|                               |    |
|-------------------------------|----|
| 1. INTRODUCTION               | 2  |
| 2. SAFETY INSTRUCTIONS        | 2  |
| 3. TECHNICAL DATA             | 3  |
| 4. ASSEMBLY GUIDE             | 4  |
| 7. DECLARATIONS OF CONFORMITY | 27 |

## 1. INTRODUCTION

Dear customer!

Thank you for your decision to purchase a RURIS product and for the trust you have placed in our company! RURIS has been on the market since 1993 and during this time it has become a strong brand, which has built its reputation by keeping its promises, but also by continuous investments aimed at helping customers with reliable, efficient and quality solutions.

We are convinced that you will appreciate our product and enjoy its performance for a long time. RURIS does not offer its customers only machines, but complete solutions. An important element in the relationship with the customer is the advice both before and after the sale, RURIS customers having at their disposal a whole network of partner stores and service points.

To enjoy the product you have purchased, please read the user manual carefully. By following the instructions, you will be guaranteed a long use.

RURIS company continuously works to develop its products and therefore reserves the right to modify, among other things, their shape, appearance and performance, without having the obligation to communicate this in advance.

Thank you once again for choosing RURIS products!

Customer information and support:

Phone: 0351.820.105

email: [info@ruris.ro](mailto:info@ruris.ro)

## 2. SAFETY INSTRUCTIONS

|                                                                                  |                             |                                                                                   |                             |
|----------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------|-----------------------------|
|  | Wear protective equipment . |  | Be careful of sharp blades. |
|  | Read the user manual.       |                                                                                   |                             |

### 2.1. WARNINGS

#### Assembly warning:

"Make sure the structure is assembled according to the instructions."

"It is recommended that assembly be carried out by two or more people to prevent accidents."

#### Handling safety warning:

"Use protective equipment (gloves, appropriate footwear) during assembly."

"Avoid contact with sharp edges or corners when handling parts."

#### Tip-over hazard warning:

"Make sure the structure is properly secured to prevent overturning in high winds or adverse weather conditions."

"Do not let children play near or next to the storage shed."

#### Warning regarding use in extreme conditions:

"Avoid using the storage box in extreme temperature or humidity conditions."

"Do not store flammable, toxic, or dangerous items in the box."

#### Maintenance warning:

"Periodically check the integrity of the structure and ensure that all elements are in good working order."

#### Warning regarding securing a stable place:

"Installing the house on unstable or sloping ground may lead to instability."


"Make sure the bottom of the box is securely fastened to prevent slipping or movement."

These warnings are essential to protect the user from risks and to ensure correct and safe use of the product.

### 3. TECHNICAL DATA

|                                        |                                                        |
|----------------------------------------|--------------------------------------------------------|
| <b>Location of use</b>                 | outer                                                  |
| <b>Color</b>                           | Anthracite grey                                        |
| <b>External dimensions LxWxH (cm)</b>  | 134x104x204                                            |
| <b>Inner size (cm)</b>                 | 120x92                                                 |
| <b>Mounting area ( m<sup>2</sup> )</b> | 1.39                                                   |
| <b>Wall material</b>                   | Double plastic (PP) layer                              |
| <b>Wall thickness (mm)</b>             | 12                                                     |
| <b>Frame material</b>                  | Plastic (PP) , with hot-dip galvanized steel structure |
| <b>Frame thickness (mm)</b>            | 1.5                                                    |
| <b>Roof type</b>                       | Inclined, in 2 waters                                  |
| <b>UV resistance</b>                   | Yes                                                    |
| <b>Rain resistance</b>                 | Yes                                                    |
| <b>Door type</b>                       | Simple door with latch                                 |
| <b>Door details</b>                    | With the ramp that allows access easy on the inside    |
| <b>Door opening (cm)</b>               | 73x172                                                 |
| <b>Number of windows</b>               | 1                                                      |
| <b>Window material</b>                 | Polycarbonate (PC)                                     |
| <b>Flooring</b>                        | Not                                                    |
| <b>Ventilation</b>                     | 2 Air vents                                            |
| <b>Roof load kg/m2</b>                 | 70                                                     |
| <b>Weight (kg)</b>                     | 32.5                                                   |
| <b>Packaging size ( LxWxH ) cm</b>     | 182x117.5x12.5                                         |

## 4. ASSEMBLY GUIDE









|  |                                                                                     |             |    |     |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|----|-----|
| VA-A1                                                                             |    | 1185mm      | x1 | 1/1 |
| VA-A2                                                                             |                                                                                     | 900mm       | x2 | 1/1 |
| VA-A3R                                                                            |                                                                                     | 217mm       | x1 | 1/1 |
| VA-A3L                                                                            |                                                                                     | 217mm       | x1 | 1/1 |
| VA-A4                                                                             |    | 830mm       | x1 | 1/1 |
| VA-30                                                                             |    |             | x4 | 1/1 |
| VA-31                                                                             |    |             | x4 | 1/1 |
|                                                                                   |                                                                                     |             |    |     |
|  |                                                                                     |             |    |     |
| PA1                                                                               |    | 876X1740mm  | x1 | 1/1 |
| PA1S                                                                              |    | 876X1740mm  | x1 | 1/1 |
| PA2D                                                                              |    | 1160X448mm  | x1 | 1/1 |
| PA3D                                                                              |    | 1160X896mm  | x1 | 1/1 |
| PA5                                                                               |    | 205X1548mm  | x2 | 1/1 |
| PA4                                                                               |    | 1160X1100mm | x1 | 1/1 |
| VA-A8                                                                             |    | 1155mm      | x1 | 1/1 |
| VA-A9                                                                             |                                                                                     | 200mm       | x2 | 1/1 |
| VA-A11                                                                            |    | 1155mm      | x1 | 1/1 |
| VA-A12                                                                            |                                                                                     | 200mm       | x2 | 1/1 |
| VA-A7R                                                                            |    | 1760mm      | x2 | 1/1 |
| VA-A7L                                                                            |                                                                                     | 1760mm      | x2 | 1/1 |
| PPX12                                                                             |   |             | x1 | 1/1 |
| W2S                                                                               |  |             | x1 | 1/1 |
| PPX13                                                                             |  |             | x1 | 1/1 |
| VA-32R                                                                            |  |             | x2 | 1/1 |
| VA-32L                                                                            |  |             | x2 | 1/1 |
| PPX14                                                                             |  |             | x2 | 1/1 |
| PPX8                                                                              |  |             | x2 | 1/1 |
| PPX9                                                                              |  |             | x2 | 1/1 |

|                                                                                   |                                                                                     |            |      |     |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------|------|-----|
|  |                                                                                     |            |      |     |
| PA6-A                                                                             |    | 985X1433mm | x1   | 1/1 |
| VA-A21                                                                            |    | 600mm      | x4   | 1/1 |
| VA-A22                                                                            |    | 825mm      | x2   | 1/1 |
| PPX3                                                                              |    |            | x4   | 1/1 |
| PPX4                                                                              |    |            | x2   | 1/1 |
| VA-A24                                                                            |    | 1020mm     | x1   | 1/1 |
|  |                                                                                     |            |      |     |
| PA7S                                                                              |    | 735X1710   | x1   | 1/1 |
| VA-A27                                                                            |    | 1712       | x2   | 1/1 |
| VA-A28                                                                            |                                                                                     | 735        | x2   | 1/1 |
| VA-A25R                                                                           |    | 1730       | x1   | 1/1 |
| VA-A25L                                                                           |                                                                                     | 1730       | x1   | 1/1 |
| VA-A26                                                                            |                                                                                     | 748        | x1   | 1/1 |
|                                                                                   |                                                                                     |            |      |     |
| VA-41                                                                             |    |            | x2   | 1/1 |
| VA-40                                                                             |    |            | x1   | 1/1 |
| CN-A33                                                                            |    |            | x2   | 1/1 |
| PA01                                                                              |    |            | x3   | 1/1 |
| VA-A44                                                                            |    | ST4.2x13mm | x115 | 1/1 |
| VA-A45                                                                            |    | ST4.2x19mm | x87  | 1/1 |
| VA-A46                                                                            |   | ST4.2x13mm | x6   | 1/1 |
| VA-A47                                                                            |  | ST4.2x19mm | x4   | 1/1 |
| VA-A48                                                                            |  | ST6.0x40mm | x5   | 1/1 |
| VA-51                                                                             |  |            | x1   | 1/1 |
|                                                                                   |                                                                                     |            |      |     |




|          |                                                                                                           |                                                                                                          |                                                                                                           |                                                                                                           |                                                                                                          |                                                                                                 |                                                                                                           |  |
|----------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--|
| <b>1</b> | <br>VA-A1 [x1]<br>1185mm | <br>VA-A2 [x2]<br>900mm | <br>VA-A3L [x1]<br>217mm | <br>VA-A3R [x1]<br>217mm | <br>VA-A4 [x1]<br>830mm | <br>VA-30 [x4] | <br>VA-A44 [x20]<br>13mm |  |
|----------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--|





**a****b**



2












VA-A48 [x5]














8




VA-31 [x4]

VA-A44 [x8]  
13mm

9






VA-A44 [x4]  
13mm













11




PA3D [x1]  
1160x895mmVA-A45 [x4]  
15mm







CN-A33













|    |                                                                                                             |                                                                                                             |                                                                                                          |  |
|----|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--|
| 14 | <br>VA-A25L [x1]<br>1730mm | <br>VA-A25R [x1]<br>1730mm | <br>VA-A44 [x2]<br>13mm |  |
|----|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--|





















20






21










22





|    |                                                                                                |                                                                                                |                                                                                               |                                                                                                         |                                                                                                         |                                                                                            |
|----|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| 24 | <br>VA-41 [x2] | <br>VA-40 [x1] | <br>PA01 [x3] | <br>VA-A44 [x2]<br>13mm | <br>VA-A45 [x3]<br>19mm | <br>Ø2.5mm |
|----|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|






25










VA-32L (x2)



VA-32R (x2)

VA-A44 (x20)  
13mm



## 7. DECLARATIONS OF CONFORMITY

### EC DECLARATION OF CONFORMITY



**Manufacturer :** SC RURIS IMPEX SRL

Bvd . Decebal, no. 111, Administrative Building , Craiova, Dolj, Romania

Goal. 0351 464 632, www.ruris.ro, info@ruris.ro

Authorized representative: Eng. Stroe Marius Catalin – General Manager

Authorized person for the technical file: Eng. Alexandru Radoi - Production Design Director

**Product description:** The garden shed is a compact construction, ideal for storage or relaxation. Made of PVC, it easily integrates into any outdoor decor. Available in various sizes, it offers functionality and aesthetics, protecting tools or serving as additional space in the garden.

| The product  | Exemplary           | Serial number           | External dimensions<br>LxWxH (cm) | Material Wall             | Frame material                                                   |
|--------------|---------------------|-------------------------|-----------------------------------|---------------------------|------------------------------------------------------------------|
| Garden shed  | RURIS Genius 2300MH | AACT00100001 GNS2300MHA | 134x104x204                       | Hot-dip galvanized steel  | Plastic (PP), reinforced with hot-dip galvanized steel structure |
| Garden house | RURIS Genius 2770MH | AACT00100001 GNS2770MHA | 277x259x203                       | Galvanized steel          | Galvanized zinc-plated steel                                     |
| Garden house | Ruris 1340PH        | AACT00100001 GNS1340PHA | 134x104x204                       | Double layer plastic (PP) | Plastic (PP), reinforced with hot-dip galvanized steel structure |

\* where AA represents the last two digits of the year of manufacture , characters 5 and 7 are the batch number, characters 7-12 are the product number )

We, SC RURIS IMPEX SRL Craiova, manufacturer , in accordance with GD 1029/2008 - on the conditions for placing machinery on the market , **Regulation (EC) No. 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94, as well as Council Directive 76/769/EEC and Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, **REGULATION (EU) No. 305/2011** of 9 March 2011 establishing harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC, we have certified the product's conformity with the specified standards and declare that it complies with the main safety and security requirements , does not endanger life , health , occupational safety and has no negative impact on the environment.

the manufacturer's representative , declares on his own responsibility that the product complies with the following European standards and directives:

**EN 1090-1:2009+A1:2012**- Execution of steel structures and aluminium structures - Part 1: Requirements for the assessment of conformity of structural components

**Regulation (EC) No 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**REGULATION (EU) No 305/2011** of 9 March 2011 laying down harmonised conditions for the marketing of construction products

Other Standards or specifications used:

- **SR EN ISO 9001** - Quality Management System
- **SR EN ISO 14001** - Environmental Management System
- **SR ISO 45001:2018** - Occupational Health and Safety Management System Occupational .

Brand and manufacturer name: ZCT Co. Ltd.

**Note: the technical documentation is owned by the manufacturer .**

Note: This declaration is consistent with the original.

Validity period: 10 years from the date of approval .

Place and date of issue: **Craiova, 10.01.2025**

Year of application of the CE marking: **2025**

Registration number : **16/10.01.2025**

Authorized person and signature :

Eng. Stroe Marius Catalin

Director General of  
SC RURIS IMPEX SRL

A handwritten signature in blue ink is written over a circular official stamp. The stamp contains the text "ROMANIA COMISOR", "RO 5042437", "RURIS IMPEX", "SRL", "J169158/1999", and "GIORGIA-ROMA".