

RURIS Genius 2300MH



1. INTRODUCERE	2
2. INSTRUCȚIUNI DE SIGURANȚĂ	2
3. DATE TEHNICE	3
4. GHIDUL DE MONTAJ	4
7. DECLARAȚII DE CONFORMITATE	34

1. INTRODUCERE

Stimate client!

Îți mulțumim pentru decizia de a cumpăra un produs RURIS și pentru încrederea acordată companiei noastre! RURIS este pe piață din anul 1993 și în tot acest timp a devenit un brand puternic, care și-a construit reputația prin respectarea promisiunilor, dar și prin investițiile continue menite să vină în ajutorul clienților cu soluții fiabile, eficiente și de calitate.

Suntem convinși că veți aprecia produsul nostru și vă veți bucura de performanțele sale timp îndelungat. RURIS nu oferă clienților săi doar utilaje, ci soluții complete. Un element important în relația cu clientul este consilierea atât înainte de vânzare, cât și post vânzare, clienții RURIS având la dispoziție o întreagă rețea de magazine și puncte service partenere.

Pentru a vă bucura de produsul cumpărat, vă rugăm să parcurgeți cu atenție manualul de utilizare. Prin respectarea instrucțiunilor, o să aveți garanția unei utilizări îndelungate.

Compania RURIS lucrează continuu pentru dezvoltarea produselor sale și de aceea își rezervă dreptul de a modifica printre altele forma, înfățișarea și performanțele acestora, fără a avea obligația de a comunica acest lucru în prealabil.

Vă mulțumim încă o dată că ați ales produsele RURIS!

Informații și suport clienți:

Telefon: 0351.820.105

e-mail: info@ruris.ro

2. INSTRUCȚIUNI DE SIGURANȚĂ

	Purtați echipament de protecție.		Atenție la lamele ascuțite.
	Citiți manualul de utilizare.		

2.1. AVERTIZĂRI

Avertizare privind montajul:

„Asigurați-vă că structura este montată conform instrucțiunilor.

„Este recomandat ca montajul să fie realizat de către două sau mai multe persoane pentru a preveni accidentele.”

Avertizare privind siguranța la manipulare:

„Utilizați echipament de protecție (mănuși, încălțăminte adecvată) în timpul montajului.”

„Evitați contactul cu margini sau colțuri ascuțite în timpul manipulării pieselor.”

Avertizare privind riscurile de răsturnare:

„Asigurați-vă că structura este fixată corect pentru a preveni răsturnarea în caz de vânt puternic sau condiții meteorologice nefavorabile.”

„Nu lăsați copii să se joace în apropierea sau pe lângă căsuța de depozitare.”

Avertizare privind utilizarea în condiții extreme:

„Evitați utilizarea căsuței de depozitare în condiții extreme de temperatură sau umiditate.”

„Nu depozitați obiecte inflamabile, toxice sau periculoase în căsuță.”

Avertizare privind întreținerea:

„Verificați periodic integritatea structurii și asigurați-vă că toate elementele sunt în stare bună de funcționare.”

Avertizare privind asigurarea unui loc stabil:


„Montarea căsuței pe un teren instabil sau în pantă poate duce la instabilitate.”

„Asigurați-vă că fundul căsuței este bine fixat pentru a preveni alunecarea sau mișcarea.”

Aceste avertizări sunt esențiale pentru a proteja utilizatorul de riscuri și pentru a asigura o utilizare corectă și sigură a produsului.

3. DATE TEHNICE

Locatie de utilizare	Exterior
Culoare	Gri aluminiu
Dimensiune exterioara LxIxh (cm)	230x166x222
Dimensiune interioara (cm)	209x145
Suprafață de montare (m²)	3.8
Material	Oțel galvanizat la cald
Grosime perete (mm)	0.4
Material cadru	Oțel zincat galvanizat la cald
Grosime cadru (mm)	0.5-1.2
Tip acoperis	Plat
Sarcina pe acoperiș kg/m2	150
Tip usa	Usa dubla
Deschidere usa (cm)	106x178
Numar de ferestre	1 fereastră cu deschidere verticală
Material fereastră	Policarbonat (PC)
Luminator	3 panouri din PC
Pardoseala	Nu
Ventilație	Orificii de aerisire
Cu jgheaburi de apa	Da
Burlane incluse	Da
Accesorii	șuruburi de expansiune incluse pentru a fixa șinele inferioare, balamale usi, clanta si chei
Greutate (kg)	162
Dimensiune ambalaj (LxIxh) cm	232x72x39

4. GHIDUL DE MONTAJ



NO.	IMAGE	mm	QTY
UNDER			
Ac-A1		2064	x1
Ana-A2		2064	x1
Ac-B3		1425	x2
Ana-A4		1130	x1
MIDDLE			
Ana-A5		2124	x4
Ac-A6		1900	x6
Ac-A7		1900	x1
Ac-A8		1900	x2
Ac-A9		2024	x1
Ac-B10		1424	x2
Ac-A11		464	x2
Ana-A12		2024	x1
Ana-A13		2024	x1
Ana-A14		1424	x2
Ana-A15		1900	x1
Ana-A15a		1900	x1
Ana-A16		1900	x1
Ana-A16a		1900	x1
Ana-A17		1087.5	x1
Ana-A18		2077	x4
Ana-A19		1438	x4
Ana-A22		223	x2
Ana-A22b		223	x2
Ana-A22a		223	x4
Ana-A23		2017	x2
Ana-A36		2077	x1
Ana-A36a		1438	x2
Ana-A38		2077	x1
Ana-A26		1503.5	x2
Ana-A27		2236	x2
Ana-A27a		1609	x2
DOOR			
Ac-A29		1804	x1
Ac-A29a		1804	x1

NO.	IMAGE	mm	QTY
TOP			
Ana-A24		2254	x3
Ana-A25		2254	x1
Ana-A25a		2254	x1
Ana-A28		2160	x2
Ana-A28a		1520.5	x2
ANNEX			
Ab-4			x12
Ana-A37			14M
Ana-P1			x4
Ana-P2			x4
Ana-P6			x1
Ana-P7			x1
Ana-P8			x1
Ab-50			x6
Ana-54			x1
Ana-55			x1
Ana-56			x1
Ana-57			x1
Ana-58		M5x45	x3
Ana-A40			x127
Ana-A41		ST4x10	x247
Ana-A42		ST4x10	x2
Ana-A43		M4x10	x18
Ana-A44		M5x8	x4
Ana-A45		ST4x25	x14
De2		20	x4
De8		1998	x4
De40			x12
De41			x12
De43		ST4.2x13	x12
De44		M4	x12

1





Ac-A1 x1



Ana-A2 x1



Ac-B3 x2





2



Ab-4 x1











Ana-A41 x12














1
































13



14




15



Ab-4 x4



Ana-A41 x12






16







Ana-A4 x1



Ana-A41 x12





19



Ana-A17 x1





Ana-A44 x1



Ana-A17



Ana-A13



20



Ana-A18 x2



Ana-A19 x2



Ana-A18/19

Ana-A12/13/14




Ana-A18/19




Ana-A12/13/14

Ac-A8/7/6



Ac-A8/7/6



21	 Ansa-A22 x2	 Ansa-A22b x2	 Ansa-A22a x4	 Ansa-A41 x18	
----	---	--	--	--	--



22	 Ansa-A36 x1	 Ansa-A36a x2	 Ansa-A36 x1	
----	---	--	---	--



23




Ana-A23 x2



Ana-A18 x2



Ana-A41 x8

Ana-A23
Ana-A18Ana-A18
Ana-A23Ana-A36/38
Ana-A22b

24




Ana-A27a x2



Ana-A19 x2



Ana-A41 x8

Ana-A27a
Ana-A19Ana-A27a
Ana-A19Ana-A36a
Ana-A22


25



Ana-A27 x2



Ana-A41 x4





26



Ana-A26 x2






Ana-A41 x4



27



Ana-P1 x4



28





Ana-A25 x1



Ana-A41 x2



Ana-A40 x2



29







Ana-A24 x3



Ana-A41 x18



Ana-A40 x18



30






Ana-A25a x1





Ana-A41 x1






Ana-A40 x1



31



32





33



Ab-50 x6



Ana-A43 x18



34



Ac-A29 x1



Ac-A29a x1



Ana-54 x1



Ana-55 x1






Ana-56 x1



Ana-57 x1



Ana-58 x3





35



Ansa-P6 x1



Ansa-A41 x1






36



Ansa-P7 x1



Ansa-A41 x10




37



Ana-P8 x1




Ana-A42 x2






38



Ana-A37 x14M






39






40




Ano-A45 x14










3




4



5




6




Measure
the desired
pipe length


OR




7



8





7. DECLARAȚII DE CONFORMITATE

DECLARAȚIA DE CONFORMITATE CE



Produsor: SC RURIS IMPEX SRL

Bvd. Decebal, nr. 111, Cladire Administrativa, Craiova, Dolj, Romania

Tel. 0351 464 632, www.ruris.ro, info@ruris.ro

Reprezentant autorizat: ing. Stroe Marius Catalin – Director General

Persoana autorizata pentru dosarul tehnic: ing. Alexandru Radoi- Director Proiectare Producție

Descrierea produsului: Căsuța de grădină este o construcție compactă, ideală pentru depozitare sau relaxare. Realizată din PVC, se integrează ușor în orice decor exterior. Disponibilă în diverse dimensiuni, oferă funcționalitate și estetică, protejând uneltele sau servind ca spațiu suplimentar în grădină.

Produsul	Model	Nr de serie	Dimensiune exteriora LxIxH (cm)	Material Perete	Material cadru
Casuta de gradina	RURIS Genius 2300MH	AACT00100001 GNS2300MHA	134x104x204	Oțel galvanizat la cald	Plastic (PP), armat cu structura din otel galvanizat la cald
Casuta gradina	RURIS Genius 2770MH	AACT00100001 GNS2770MHA	277x259x203	Oțel galvanizat	Oțel zincat galvanizat
Casuta gradina	Ruris 1340PH	AACT00100001 GNS1340PHA	134x104x204	Plastic (PP) dublu strat	Plastic(PP), armat cu structura din otel galvanizat la cald

* unde AA reprezinta ultimele doua cifre ale anului de fabricatie, caracterele 5 si 7 nr de lot, caracterele 7-12 numarul de produs)

Noi, SC RURIS IMPEX SRL Craiova, producator, in conformitate cu H.G. 1029/2008 - privind conditiile introducerii pe piata a masinilor, **Regulamentul (CE) nr. 1907/2006** al Parlamentului European și al Consiliului din 18 decembrie 2006 privind înregistrarea, evaluarea, autorizarea și restricționarea substanțelor chimice (REACH), de înființare a Agenției Europene pentru Produse Chimice, de modificare a Directivei 1999/45/CE și de abrogare a Regulamentului (CEE) nr. 793/93 al Consiliului și a Regulamentului (CE) nr. 1488/94 al Comisiei, precum și a Directivei 76/769/CEE a Consiliului și a Directivelor 91/155/CEE, 93/67/CEE, 93/105/CE și 2000/21/CE, **REGULAMENTUL (UE) NR. 305/2011** din 9 martie 2011 de stabilire a unor condiții armonizate pentru comercializarea produselor pentru construcții și de abrogare a Directivei 89/106/CEE a Consiliului, am efectuat atestarea conformității produsului cu standardele specificate și declarăm ca este conform cu principalele cerințe de siguranță și securitate, nu pune în pericol viața, sănătatea, securitatea muncii și nu are impact negativ asupra mediului.

Subsemnatul Stroe Catalin, reprezentantul producatorului, declar pe proprie raspundere ca produsul este in conformitate cu urmatoarele standarde si directive europene:

EN 1090-1:2009+A1:2012- Execuția structurilor de oțel și a structurilor din aluminiu - Partea 1: Cerințe pentru evaluarea conformității componentelor structurale

Regulamentul (CE) nr. 1907/2006 al Parlamentului European și al Consiliului din 18 decembrie 2006 privind înregistrarea, evaluarea, autorizarea și restricționarea substanțelor chimice (REACH)

REGULAMENTUL (UE) NR. 305/2011 din 9 martie 2011 de stabilire a unor condiții armonizate pentru comercializarea produselor pentru construcții

Alte Standarde sau specificatii utilizate:

- **SR EN ISO 9001** - Sistemul de Management al Calitatii
- **SR EN ISO 14001** - Sistemul de Management al Mediului
- **SR ISO 45001:2018** - Sistemul de Management al Sanatatii si Securitatii Ocupationale.

Marca si numele producătorului: Z.C.T Co. Ltd.

Nota: documentatia tehnica este detinuta de producator.

Precizare: Prezenta declaratie este conforma cu originalul.

Termen de valabilitate: 10 ani de la data aprobarii.

Locul si data emiterii: **Craiova, 10.01.2025**

Anul aplicarii marcajului CE: **2025**

Nr. inreg: **16/10.01.2025**

Persoana autorizata si semnatura:

Ing. Stroe Marius Catalin

Director General al

SC RURIS IMPEX SRL



RURIS Genius 2300MH



1. INTRODUCTION	2
2. SAFETY INSTRUCTIONS	2
3. TECHNICAL DATA	3
4. ASSEMBLY GUIDE	4
7. DECLARATIONS OF CONFORMITY	34

1. INTRODUCTION

Dear customer!

Thank you for your decision to purchase a RURIS product and for the trust you have placed in our company! RURIS has been on the market since 1993 and during this time it has become a strong brand, which has built its reputation by keeping its promises, but also by continuous investments aimed at helping customers with reliable, efficient and quality solutions.

We are convinced that you will appreciate our product and enjoy its performance for a long time. RURIS does not offer its customers only machines, but complete solutions. An important element in the relationship with the customer is the advice both before and after the sale, RURIS customers having at their disposal a whole network of partner stores and service points.

To enjoy the product you have purchased, please read the user manual carefully. By following the instructions, you will be guaranteed a long use.

RURIS company continuously works to develop its products and therefore reserves the right to modify, among other things, their shape, appearance and performance, without having the obligation to communicate this in advance.

Thank you once again for choosing RURIS products!

Customer information and support:

Phone: 0351.820.105

email: info@ruris.ro

2. SAFETY INSTRUCTIONS

	Wear protective equipment.		Be careful of sharp blades.
	Read the user manual.		

2.1. WARNINGS

Assembly warning:

"Make sure the structure is assembled according to the instructions."

"It is recommended that assembly be carried out by two or more people to prevent accidents."

Handling safety warning:

"Use protective equipment (gloves, appropriate footwear) during assembly."

"Avoid contact with sharp edges or corners when handling parts."

Tip-over hazard warning:

"Make sure the structure is properly secured to prevent overturning in high winds or adverse weather conditions."

"Do not let children play near or next to the storage shed."

Warning regarding use in extreme conditions:

"Avoid using the storage box in extreme temperature or humidity conditions."

"Do not store flammable, toxic, or dangerous items in the box."

Maintenance warning:

"Periodically check the integrity of the structure and ensure that all elements are in good working order."

Warning regarding securing a stable place:

"Installing the house on unstable or sloping ground may lead to instability."


"Make sure the bottom of the box is securely fastened to prevent slipping or movement."


These warnings are essential to protect the user from risks and to ensure correct and safe use of the product.

3. TECHNICAL DATA

Location of use	outer
Color	Aluminum gray
External dimensions LxWxH (cm)	230x166x222
Inner size (cm)	209x145
Mounting area (m²)	3.8
Material	Hot-dip galvanized steel
Wall thickness (mm)	0.4
Frame material	Hot-dip galvanized steel
Frame thickness (mm)	0.5-1.2
Roof type	Flat
Roof load kg/m2	150
Door type	Double door
Door opening (cm)	106x178
Number of windows	1 vertical opening window
Window material	Polycarbonate (PC)
Light	3 PC panels
Flooring	Not
Ventilation	Air vents
With water gutters	Yes
Downpipes included	Yes
Accessory	Expansion screws included to secure bottom rails, door hinges, handle and keys
Weight (kg)	162
Packaging size (LxWxH) cm	232x72x39

4. ASSEMBLY GUIDE





NO.	IMAGE	mm	QTY
UNDER			
Ac-A1		2064	x1
Ana-A2		2064	x1
Ac-B3		1425	x2
Ana-A4		1130	x1
MIDDLE			
Ana-A5		2124	x4
Ac-A6		1900	x6
Ac-A7		1900	x1
Ac-A8		1900	x2
Ac-A9		2024	x1
Ac-B10		1424	x2
Ac-A11		464	x2
Ana-A12		2024	x1
Ana-A13		2024	x1
Ana-A14		1424	x2
Ana-A15		1900	x1
Ana-A15a		1900	x1
Ana-A16		1900	x1
Ana-A16a		1900	x1
Ana-A17		1087.5	x1
Ana-A18		2077	x4
Ana-A19		1438	x4
Ana-A22		223	x2
Ana-A22b		223	x2
Ana-A22a		223	x4
Ana-A23		2017	x2
Ana-A36		2077	x1
Ana-A36a		1438	x2
Ana-A38		2077	x1
Ana-A26		1503.5	x2
Ana-A27		2236	x2
Ana-A27a		1609	x2
DOOR			
Ac-A29		1804	x1
Ac-A29a		1804	x1

NO.	IMAGE	mm	QTY
TOP			
Ana-A24		2254	x3
Ana-A25		2254	x1
Ana-A25a		2254	x1
Ana-A28		2160	x2
Ana-A28a		1520.5	x2
ANNEX			
Ab-4			x12
Ana-A37			14M
Ana-P1			x4
Ana-P2			x4
Ana-P6			x1
Ana-P7			x1
Ana-P8			x1
Ab-50			x6
Ana-54			x1
Ana-55			x1
Ana-56			x1
Ana-57			x1
Ana-58		M5x45	x3
Ana-A40			x127
Ana-A41		ST4x10	x247
Ana-A42		ST4x10	x2
Ana-A43		M4x10	x18
Ana-A44		M5x8	x4
Ana-A45		ST4x25	x14
De2		20	x4
De8		1998	x4
De40			x12
De41			x12
De43		ST4.2x13	x12
De44		M4	x12

1





Ac-A1 x1



Ana-A2 x1



Ac-B3 x2





2



Ab-4 x1











Ana-A41 x12








1









7






Ac-A6 x1



Ans-A41 x5



Ans-A40 x5



8



Ac-A6 x1






Ans-A5 x1















Ans-A41 x7






Ans-A40 x7










13



14




15



Ab-4 x4



Ana-A41 x12






16







Ana-A4 x1



Ana-A41 x12





19



Ana-A17 x1



Ana-A44 x1





Ana-A17



Ana-A13

Ana-A17



20



Ana-A18 x2



Ana-A19 x2



Ana-A18/19

Ana-A12/13/14









Ana-A18/19

Ana-A12/13/14

Ac-AB/7/8

Ac-AB/7/8





23

Ana-A23 x2



Ana-A18 x2






Ana-A41 x8

Ana-A23
Ana-A18

Ana-A18 Ana-A23

Ana-A36/38 Ana-A22b

Ana-A36/38 Ana-A22b



24

Ana-A27a x2



Ana-A19 x2



Ana-A41 x8

Ana-A27a
Ana-A19




Ana-A19 Ana-A27a

Ana-A36a Ana-A22 Ana-A36a

Ana-A22 Ana-A36a

Ana-A36a Ana-A22

Ana-A36a Ana-A22




25



Ana-A27 x2



Ana-A41 x4





26



Ana-A26 x2




Ana-A41 x4



27




Ana-P1 x4



Ana-P1

Ana-P1



28





Ana-A25 x1



Ana-A41 x2



Ana-A40 x2



29







Ans-A24 x3



Ans-A41 x18



Ans-A40 x18



30






Ans-A25a x1





Ans-A41 x1






Ans-A40 x1



31



32





33



Ab-50 x6



Ana-A43 x18



34



Ac-A29 x1



Ac-A29a x1



Ana-54 x1



Ana-55 x1






Ana-56 x1



Ana-57 x1



Ana-58 x3





35



Anis-P6 x1



Anis-A41 x1





36



Anis-P7 x1



Anis-A41 x10




37


Ana-P8 x1






Ana-A42 x2

**38**

Ana-A37 x14M






39






40




Ano-A45 x14









3




4



5




6




Measure
the desired
pipe length


OR




7



8





7. DECLARATIONS OF CONFORMITY

EC DECLARATION OF CONFORMITY



Manufacturer: SC RURIS IMPEX SRL

Bvd. Decebal, no. 111, Administrative Building, Craiova, Dolj, Romania

Goal. 0351 464 632, www.ruris.ro, info@ruris.ro

Authorized representative: Eng. Stroe Marius Catalin – General Manager

Authorized person for the technical file: Eng. Alexandru Radoi - Production Design Director

Product description: The garden shed is a compact construction, ideal for storage or relaxation. Made of PVC, it easily integrates into any outdoor decor. Available in various sizes, it offers functionality and aesthetics, protecting tools or serving as additional space in the garden.

The product	Exemplary	Serial number	External dimensions LxWxH (cm)	Material Wall	Frame material
Garden shed	RURIS Genius 2300MH	AACT00100001 GNS2300MHA	134x104x204	Hot-dip galvanized steel	Plastic (PP), reinforced with hot-dip galvanized steel structure
Garden house	RURIS Genius 2770MH	AACT00100001 GNS2770MHA	277x259x203	Galvanized steel	Galvanized zinc-plated steel
Garden house	Ruris 1340PH	AACT00100001 GNS1340PHA	134x104x204	Double layer plastic (PP)	Plastic (PP), reinforced with hot-dip galvanized steel structure

* where AA represents the last two digits of the year of manufacture, characters 5 and 7 the batch number, characters 7-12 the product number)

We, SC RURIS IMPEX SRL Craiova, manufacturer, in accordance with GD 1029/2008 - on the conditions for placing machinery on the market, **Regulation (EC) No. 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94, as well as Council Directive 76/769/EEC and Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, **REGULATION (EU) No. 305/2011** of March 9, 2011 laying down harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC, we have certified the product's conformity with the specified standards and declare that it complies with the main safety and security requirements, does not endanger life, health, occupational safety and has no negative impact on the environment.

The undersigned Stroe Catalin, the manufacturer's representative, declares on his own responsibility that the product complies with the following European standards and directives:

EN 1090-1:2009+A1:2012- Execution of steel structures and aluminium structures - Part 1: Requirements for the assessment of conformity of structural components

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EU) No 305/2011 of 9 March 2011 laying down harmonised conditions for the marketing of construction products

Other Standards or specifications used:

- **SR EN ISO 9001** - Quality Management System
- **SR EN ISO 14001** - Environmental Management System
- **SR ISO 45001:2018** - Occupational Health and Safety Management System.

Brand and manufacturer name: ZCT Co. Ltd.

Note: the technical documentation is owned by the manufacturer.

Note: This declaration is consistent with the original.

Validity period: 10 years from the date of approval.

Place and date of issue: **Craiova, 10.01.2025**

Year of application of the CE marking: **2025**

Registration number: **16/10.01.2025**

Authorized person and signature:

Eng. Stroe Marius Catalin

Director General of
SC RURIS IMPEX SRL

The image shows a handwritten signature in blue ink, which appears to be 'Stroe', written over a circular official stamp. The stamp is from SC RURIS IMPEX SRL, with the text 'ROMANIA' at the top and 'S.C. RURIS IMPEX SRL' in the center. The stamp also contains the number 'RO 5045437' and 'J16/10.01.2025'.