

RURIS Genius 2770MH



1. INTRODUCERE	2
2. INSTRUCȚIUNI DE SIGURANȚĂ	2
3. DATE TEHNICE	3
4. GHIDUL DE MONTAJ	4
7. DECLARAȚII DE CONFORMITATE	24

1. INTRODUCERE

Stimate client!

Îți mulțumim pentru decizia de a cumpăra un produs RURIS și pentru încrederea acordată companiei noastre! RURIS este pe piață din anul 1993 și în tot acest timp a devenit un brand puternic, care și-a construit reputația prin respectarea promisiunilor, dar și prin investițiile continue menite să vină în ajutorul clienților cu soluții fiabile, eficiente și de calitate.

Suntem convinși că veți aprecia produsul nostru și vă veți bucura de performanțele sale timp îndelungat. RURIS nu oferă clienților săi doar utilaje, ci soluții complete. Un element important în relația cu clientul este consilierea atât înainte de vânzare, cât și post vânzare, clienții RURIS având la dispoziție o întreagă rețea de magazine și puncte service partener.

Pentru a vă bucura de produsul cumpărat, vă rugăm să parcurgeți cu atenție manualul de utilizare. Prin respectarea instrucțiunilor, o să aveți garanția unei utilizări îndelungate.

Compania RURIS lucrează continuu pentru dezvoltarea produselor sale și de aceea își rezervă dreptul de a modifica printre altele forma, înfățișarea și performanțele acestora, fără a avea obligația de a comunica acest lucru în prealabil.

Vă mulțumim încă o dată că ați ales produsele RURIS!

Informații și suport clienți:

Telefon: 0351.820.105

e-mail: info@ruris.ro

2. INSTRUCȚIUNI DE SIGURANȚĂ

	Purtați echipament de protecție.		Atenție la lamele ascuțite.
	Citiți manualul de utilizare.		

2.1. AVERTIZĂRI

Avertizare privind montajul:

„Asigurați-vă că structura este montată conform instrucțiunilor.

„Este recomandat ca montajul să fie realizat de către două sau mai multe persoane pentru a preveni accidentele.”

Avertizare privind siguranța la manipulare:

„Utilizați echipament de protecție (mănuși, încălțăminte adecvată) în timpul montajului.”

„Evitați contactul cu margini sau colțuri ascuțite în timpul manipulării pieselor.”

Avertizare privind riscurile de răsturnare:

„Asigurați-vă că structura este fixată corect pentru a preveni răsturnarea în caz de vânt puternic sau condiții meteorologice nefavorabile.”

„Nu lăsați copii să se joace în apropierea sau pe lângă căsuța de depozitare.”

Avertizare privind utilizarea în condiții extreme:

„Evitați utilizarea căsuței de depozitare în condiții extreme de temperatură sau umiditate.”

„Nu depozitați obiecte inflamabile, toxice sau periculoase în căsuță.”

Avertizare privind întreținerea:

„Verificați periodic integritatea structurii și asigurați-vă că toate elementele sunt în stare bună de funcționare.”

Avertizare privind asigurarea unui loc stabil:

„Montarea căsuței pe un teren instabil sau în pantă poate duce la instabilitate.”



„Asigurați-vă că fundul căsuței este bine fixat pentru a preveni alunecarea sau mișcarea.”


Aceste avertizări sunt esențiale pentru a proteja utilizatorul de riscuri și pentru a asigura o utilizare corectă și sigură a produsului.

3. DATE TEHNICE

Locatie de utilizare	Exterior
Culoare	Gri aluminiu
Dimensiune exterioara LxIxh (cm)	277x259x203
Dimensiune interioara (cm)	267X245X202
Suprafață de montare (m²)	7.17
Material	Oțel galvanizat
Grosime perete (mm)	0.25
Material cadru	Oțel zincat galvanizat
Grosime cadru (mm)	0.5-0.8
Tip acoperis	Acoperis 2 ape
Sarcina pe acoperiș kg/m2	70
Tip usa	Usa dubla cu maner
Lacat inclus	Nu
Deschidere usa (cm)	117x162
Numar de ferestre	0
Pardoseala	Nu
Ventilatie	4 Orificii patentate rezistente la ploaie
Greutate (kg)	79
Dimensiune ambalaj (LxIxh) cm	176x71x16

4. GHIDUL DE MONTAJ









NO.	IMAGE	mm	QTY
UNDER			
Bs-B1		1693	x1
Bs-A2		1074	x1
Bs-A3		1174	x2
Bs-F3a		1380	x2
Bs-B4		803	x1
Bs-B5		803	x1
Bs-B6		1170	x1
MIDDLE			
Bs-8		1648	x4
Bs-14		1648	x10
Bs-B9		1315	x1
Bs-B10		1315	x1
Bs-B11		1249	x1
Bs-B12		1453	x1
As-B13		1145	x2
As-D15		1401	x2
Bs-16		1648	x1
Bs-17		1648	x1
Bs-B18		1257	x1
TOP1			
As-C19		1305	x2
As-C20		1305	x2
As-D22		1274	x4
As-D22a		1274	x4
T-B29		160	x4
TOP2			
As-C23		1420	x2
As-C24		1420	x4
As-C25		1420	x2
As-26		1294	x4
As-C38		1417	x2
As-C39		1417	x2
As-A28		1298	x2
DOOR			

NO.	IMAGE	mm	QTY
As-B30		1643	x1
As-B35		1643	x1
Ts-31		1583	x2
Bs-B32		978	x4
Bs-B33		593	x1
Bs-B34		593	x1
Bs-B36		593	x1
Bs-B37		593	x1
ANNEX			
T-P1			x4
T-P2			x4
T-P3			x4
T-P4			x2
TP5A			x4
T-P6			x2
T-P7		200	x1
T-P8			x2
As-D40			x246
As-D41		ST4X10	x277
As-D42		ST4X16	x21
As-D43		M4X10	x93
As-D44			x95



1




2




3




4




I&II





5





I&II





6





7









8









9















19






20





21









25






26




27







31





32





33





34




35




36








38




39







1




2




3




4









5



6





7. DECLARAȚII DE CONFORMITATE

DECLARAȚIA DE CONFORMITATE CE



Producator: SC RURIS IMPEX SRL

Bvd. Decebal, nr. 111, Cladire Administrativa, Craiova, Dolj, Romania

Tel. 0351 464 632, www.ruris.ro, info@ruris.ro

Reprezentant autorizat: ing. Stroe Marius Catalin – Director General

Persoana autorizata pentru dosarul tehnic: ing. Alexandru Radoi- Director Proiectare Producție

Descrierea produsului: Căsuța de grădină este o construcție compactă, ideală pentru depozitare sau relaxare.

Realizată din PVC, se integrează ușor în orice decor exterior. Disponibilă în diverse dimensiuni, oferă funcționalitate și estetică, protejând uneltele sau servind ca spațiu suplimentar în grădină.

Produsul	Model	Nr de serie	Dimensiune exteriora LxIxH (cm)	Material Perete	Material cadru
Casuta de gradina	RURIS Genius 2300MH	AACT00100001 GNS2300MHA	134x104x204	Oțel galvanizat la cald	Plastic (PP), armat cu structura din otel galvanizat la cald
Casuta gradina	RURIS Genius 2770MH	AACT00100001 GNS2770MHA	277x259x203	Oțel galvanizat	Oțel zincat galvanizat
Casuta gradina	Ruris 1340PH	AACT00100001 GNS1340PHA	134x104x204	Plastic (PP) dublu strat	Plastic(PP), armat cu structura din otel galvanizat la cald

* unde AA reprezinta ultimele doua cifre ale anului de fabricatie, caracterele 5 si 7 nr de lot, caracterele 7-12 numarul de produs)

Noi, SC RURIS IMPEX SRL Craiova, producator, in conformitate cu H.G. 1029/2008 - privind conditiile introducerii pe piata a masinilor, **Regulamentul (CE) nr. 1907/2006** al Parlamentului European și al Consiliului din 18 decembrie 2006 privind înregistrarea, evaluarea, autorizarea și restricționarea substanțelor chimice (REACH), de înființare a Agenției Europene pentru Produse Chimice, de modificare a Directivei 1999/45/CE și de abrogare a Regulamentului (CEE) nr. 793/93 al Consiliului și a Regulamentului (CE) nr. 1488/94 al Comisiei, precum și a Directivei 76/769/CEE a Consiliului și a Directivelor 91/155/CEE, 93/67/CEE, 93/105/CE și 2000/21/CE, **REGULAMENTUL (UE) NR. 305/2011** din 9 martie 2011 de stabilire a unor condiții armonizate pentru comercializarea produselor pentru construcții și de abrogare a Directivei 89/106/CEE a Consiliului, am efectuat atestarea conformității produsului cu standardele specificate și declarăm ca este conform cu principalele cerințe de siguranță și securitate, nu pune în pericol viața, sănătatea, securitatea muncii și nu are impact negativ asupra mediului.

Subsemnatul Stroe Catalin, reprezentantul producatorului, declar pe proprie raspundere ca produsul este in conformitate cu urmatoarele standarde si directive europene:

EN 1090-1:2009+A1:2012- Execuția structurilor de oțel și a structurilor din aluminiu - Partea 1: Cerințe pentru evaluarea conformității componentelor structurale

Regulamentul (CE) nr. 1907/2006 al Parlamentului European și al Consiliului din 18 decembrie 2006 privind înregistrarea, evaluarea, autorizarea și restricționarea substanțelor chimice (REACH)

REGULAMENTUL (UE) NR. 305/2011 din 9 martie 2011 de stabilire a unor condiții armonizate pentru comercializarea produselor pentru construcții

Alte Standarde sau specificatii utilizate:

- **SR EN ISO 9001** - Sistemul de Management al Calitatii
- **SR EN ISO 14001** - Sistemul de Management al Mediului
- **SR ISO 45001:2018** - Sistemul de Management al Sanatatii si Securitatii Ocupationale.

Marca si numele producătorului: Z.C.T Co. Ltd.

Nota: documentatia tehnica este detinuta de producator.

Precizare: Prezenta declaratie este conforma cu originalul.

Termen de valabilitate: 10 ani de la data aprobarii.

Locul si data emiterii: **Craiova, 10.01.2025**

Anul aplicării marcajului CE: **2025**

Nr. înreg: **16/10.01.2025**

Persoana autorizată și semnatura:

Ing. Stroe Marius Catalin
Director General al
SC RURIS IMPEX SRL

The image shows a handwritten signature in blue ink, which appears to be 'M. Stroe', written over a circular official stamp. The stamp is from 'SC RURIS IMPEX SRL' and includes the text 'ROMANIA' and 'ROMANIA' at the bottom. The stamp also contains the text 'RO 5045437' and 'SRL'.

RURIS Genius 2770MH



1. INTRODUCTION	2
2. SAFETY INSTRUCTIONS	2
3. TECHNICAL DATA	3
4. ASSEMBLY GUIDE	4
7. DECLARATIONS OF CONFORMITY	24

1. INTRODUCTION

Dear customer!

Thank you for your decision to purchase a RURIS product and for the trust you have placed in our company! RURIS has been on the market since 1993 and during this time it has become a strong brand, which has built its reputation by keeping its promises, but also by continuous investments aimed at helping customers with reliable, efficient and quality solutions.

We are convinced that you will appreciate our product and enjoy its performance for a long time. RURIS does not offer its customers only machines, but complete solutions. An important element in the relationship with the customer is the advice both before and after the sale, RURIS customers having at their disposal a whole network of partner stores and service points.

To enjoy the product you have purchased, please read the user manual carefully. By following the instructions, you will be guaranteed a long use.

RURIS company continuously works to develop its products and therefore reserves the right to modify, among other things, their shape, appearance and performance, without having the obligation to communicate this in advance.

Thank you once again for choosing RURIS products!

Customer information and support:
Phone: 0351.820.105
email: info@ruris.ro

2. SAFETY INSTRUCTIONS

	Wear protective equipment .		Be careful of sharp blades.
	Read the user manual.		

2.1. WARNINGS

Assembly warning:
"Make sure the structure is assembled according to the instructions."
"It is recommended that assembly be carried out by two or more people to prevent accidents."

Handling safety warning:
"Use protective equipment (gloves, appropriate footwear) during assembly."
"Avoid contact with sharp edges or corners when handling parts."

Tip-over hazard warning:
"Make sure the structure is properly secured to prevent overturning in high winds or adverse weather conditions."
"Do not let children play near or next to the storage shed."

Warning regarding use in extreme conditions:
"Avoid using the storage box in extreme temperature or humidity conditions."
"Do not store flammable, toxic, or dangerous items in the box."



Maintenance warning:
"Periodically check the integrity of the structure and ensure that all elements are in good working order."



Warning regarding securing a stable place:
"Installing the house on unstable or sloping ground may lead to instability."
"Make sure the bottom of the box is securely fastened to prevent slipping or movement."

These warnings are essential to protect the user from risks and to ensure correct and safe use of the product.

3. TECHNICAL DATA



Location of use	outer
Color	Aluminum gray
External dimensions LxWxH (cm)	277x259x203
Inner size (cm)	267X245X202
Mounting area (m²)	7.17
Material	Galvanized steel
Wall thickness (mm)	0.25
Frame material	Galvanized zinc-plated steel
Frame thickness (mm)	0.5-0.8
Roof type	Gable roof
Roof load kg/m2	70
Door type	Double door with handle
Padlock included	Not
Door opening (cm)	117x162
Number of windows	0
Flooring	Not
Ventilation	4 Holes patent rain resistant
Weight (kg)	79
Packaging size (LxWxH) cm	176x71x16

4. ASSEMBLY GUIDE





NO.	IMAGE	mm	QTY	NO.	IMAGE	mm	QTY
UNDER				As-B30		1643	x1
Bs-B1		1693	x1	As-B35		1643	x1
Bs-A2		1074	x1	Ts-31		1583	x2
Bs-A3		1174	x2	Bs-B32		978	x4
Bs-F3a			1380	x2	Bs-B33	593	x1
Bs-B4	803		x1	Bs-B34	593	x1	
Bs-B5	803		x1	Bs-B36	593	x1	
Bs-B6			1170	x1	Bs-B37	593	x1
MIDDLE				ANNEX			
Bs-8		1648	x4	T-P1			x4
Bs-14		1648	x10	T-P2			x4
Bs-B9		1315	x1	T-P3			x4
Bs-B10		1315	x1	T-P4			x2
Bs-B11		1249	x1	TP5A			x4
Bs-B12		1453	x1	T-P6			x2
As-B13		1145	x2	T-P7		200	x1
As-D15		1401	x2	T-P8			x2
Bs-16		1648	x1	As-D40			x246
Bs-17		1648	x1	As-D41		ST4X10	x277
Bs-B18		1257	x1	As-D42		ST4X16	x21
TOP1				As-D43		M4X10	x93
As-C19		1305	x2	As-D44			x95
As-C20		1305	x2				
As-D22		1274	x4				
As-D22a		1274	x4				
T-B29		160	x4				
TOP2							
As-C23		1420	x2				
As-C24		1420	x4				
As-C25		1420	x2				
As-26		1294	x4				
As-C38		1417	x2				
As-C39		1417	x2				
As-A28		1298	x2				
DOOR							



1




2




3




4




I&II





5





I&II





6





7









8









9















19






20




21







25






26




27







31





32





33





34








35




36









1




2




3




4









5



6





7. DECLARATIONS OF CONFORMITY
EC DECLARATION OF CONFORMITY



Manufacturer : SC RURIS IMPEX SRL
Bvd . Decebal, no. 111, Administrative Building , Craiova, Dolj, Romania
Goal. 0351 464 632, www.ruris.ro, info@ruris.ro
Authorized representative: Eng. Stroe Marius Catalin – General Manager
Authorized person for the technical file: Eng. Alexandru Radoi - Production Design Director

Product description: The garden shed is a compact construction, ideal for storage or relaxation. Made of PVC, it easily integrates into any outdoor decor. Available in various sizes, it offers functionality and aesthetics, protecting tools or serving as additional space in the garden.

The product	Exemplary	Serial number	External dimensions LxWxH (cm)	Material Wall	Frame material
Garden shed	RURIS Genius 2300MH	AACT00100001 GNS2300MHA	134x104x204	Hot-dip galvanized steel	Plastic (PP), reinforced with hot-dip galvanized steel structure
Garden house	RURIS Genius 2770MH	AACT00100001 GNS2770MHA	277x259x203	Galvanized steel	Galvanized zinc-plated steel
Garden house	Ruris 1340PH	AACT00100001 GNS1340PHA	134x104x204	Double layer plastic (PP)	Plastic (PP), reinforced with hot-dip galvanized steel structure

** where AA represents the last two digits of the year of manufacture , characters 5 and 7 are the batch number, characters 7-12 are the product number)*

We, SC RURIS IMPEX SRL Craiova, manufacturer , in accordance with GD 1029/2008 - on the conditions for placing machinery on the market , **Regulation (EC) No. 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94, as well as Council Directive 76/769/EEC and Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, **REGULATION (EU) No. 305/2011** of 9 March 2011 establishing harmonised conditions for the marketing of construction products and repealing Council Directive 89/106/EEC, we have certified the product's conformity with the specified standards and declare that it complies with the main safety and security requirements , does not endanger life , health , occupational safety and has no negative impact on the environment.

the manufacturer's representative , declares on his own responsibility that the product complies with the following European standards and directives:

EN 1090-1:2009+A1:2012- Execution of steel structures and aluminium structures - Part 1: Requirements for the assessment of conformity of structural components

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EU) No 305/2011 of 9 March 2011 laying down harmonised conditions for the marketing of construction products

Other Standards or specifications used:

- **SR EN ISO 9001** - Quality Management System
- **SR EN ISO 14001** - Environmental Management System
- **SR ISO 45001:2018** - Occupational Health and Safety Management System Occupational .

Brand and manufacturer name: ZCT Co. Ltd.

Note: the technical documentation is owned by the manufacturer .

Note: This declaration is consistent with the original.

Validity period: 10 years from the date of approval .

Place and date of issue: **Craiova, 10.01.2025**

Year of application of the CE marking: **2025**

Registration number : **16/10.01.2025**

Authorized person and signature :

Eng. Stroe Marius Catalin

Director General of
SC RURIS IMPEX SRL

The image shows a handwritten signature in blue ink, which appears to be 'Stroe', written over a circular official stamp. The stamp is from 'SC RURIS IMPEX SRL' and includes the text 'ROMANIA' and 'COMERCIAL'.